Estimated New Cancer Cases for Selected Cancer Sites by State and US, 2007- Old Method

State	All Cases	Female Breast	Uterine Cervix	Colon & Rectum	Uterine Corpus	Leukemia	Lung & Bronchus	Melanoma of the Skin	Non-Hodgkin Lymphoma	Prostate	Urinary Bladder
AL	24,700	3,540	190	2,500	660	580	3,740	920	1,070	4,110	880
AK	2,050	260	†	200	50	†	270	80	100	260	90
AZ	25,660	3,700	70	2,760	490	660	3,290	1,370	1,040	4,450	1,250
AR	15,820	2,140	170	1,730	380	390	2,560	530	650	2,570	560
CA	139,170	21,520	1,020	14,860	4,110	3,570	15,250	6,180	5,950	26,020	6,490
CO	16,890	2,710	80	1,790	440	480	1,900	990	780	2,820	740
CT	17,720	2,550	80	1,680	550	440	2,150	840	750	3,340	880
DE	4,590	630	†	450	160	120	670	230	190	770	230
DC	2,590	420	†	280	160	70	300	80	100	510	140
FL	102,510	14,070	660	10,030	2,470	2,710	14,260	4,880	4,220	18,660	4,960
GA	37,910	5,840	390	3,810	990	890	5,190	1,600	1,530	5,390	1,390
HI	5,730	680	†	600	160	130	610	150	290	1,110	190
ID	6,010	940	†	570	110	210	660	460	320	1,280	280
IL	60,520	9,070	470	6,760	1,860	1,640	7,720	2,440	2,440	8,470	2,730
IN	32,280	4,480	190	3,350	1,100	840	4,380	1,450	1,400	5,140	1,390
IA	16,510	2,140	110	1,700	490	510	2,020	530	970	3,000	700
KS	13,410	1,980	80	1,480	330	380	1,760	610	710	1,880	600
KY	23,810	3,130	170	2,440	490	530	3,980	1,140	940	2,650	970
LA	24,210	3,800	170	2,730	440	540	3,480	760	1,010	3,420	790
ME	8,090	990	†	800	220	160	1,120	380	360	1,540	420
MD	25,890	4,320	220	2,760	820	660	3,340	1,070	1,040	4,620	1,160
MA	33,570	4,640	140	3,350	990	810	4,190	1,530	1,360	4,790	1,850
MI	48,630	6,880	300	4,970	1,480	1,280	6,740	1,910	2,140	7,280	2,220
MN	23,780	3,130	140	2,300	820	670	2,840	920	1,140	4,190	1,160
MS	15,190	2,340	170	1,730	380	360	2,350	460	550	2,480	460
MO	31,970	4,530	190	3,320	880	760	4,750	1,450	1,620	4,370	1,200
MT	4,870	680	†	450	160	130	600	230	260	940	280
NE	8,420	1,150	60	990	330	250	1,040	380	360	1,460	370
NV	11,820	1,720	80	1,390	220	260	1,530	610	420	1,970	560
NH	6,670	940	†	620	160	160	850	380	290	1,200	370
NJ	43,460	7,030	360	4,770	1,590	1,130	5,050	1,830	1,950	6,420	2,040
NM	8,290	1,250	60	910	220	200	830	380	390	1,710	370
NY	89,430	13,910	830	9,520	3,290	2,250	10,960	3,280	3,350	13,950	4,170
NC	42,800	6,460	280	4,200	1,150	1,020	5,940	1,910	1,850	6,850	1,670
ND	3,090	470	†	340	110	70	400	80	130	860	190
OH	62,370	9,480	470	6,670	1,810	1,560	8,430	2,440	1,980	11,560	3,200
OK	18,710	2,660	110	2,050	440	480	2,760	990	680	2,400	790
OR	18,690	2,760	110	1,820	440	430	2,470	990	1,170	2,910	1,020
PA	73,880	12,870	330	7,750	2,360	1,780	8,970	3,130	3,700	11,210	3,570
RI	6,010	730	†	600	110	150	740	310	190	940	320
SC	22,670	2,970	120	2,240	600	540	3,170	840	840	3,600	830
SD	4,060	520	†	450	110	120	480	150	260	940	190
TN	32,760	4,640	240	3,290	660	790	5,010	1,370	1,330	4,710	1,160
TX	86,640	12,920	1,040	9,150	2,300	2,350	11,440	4,040	3,770	13,870	3,480
UT	6,820	1,250	†	680	220	210	540	460	450	1,200	320
VT	2,940	520	†	340	110	80	400	150	160	680	190
VA	34,840	5,730	190	3,750	1,040	840	4,950	1,680	1,170	5,140	1,480
WA	28,830	4,010	140	2,810	930	810	3,660	1,530	1,430	5,390	1,440
WV	11,690	1,460	90	1,360	330	210	1,670	460	550	1,370	510
WI	27,560	4,010	120	2,730	770	810	3,330	1,220	1,040	4,620	1,390
WY	2,480	310	†	310	50	60	300	150	130	510	90
US	1,419,000	210,820	10,100	148,210	40,580	35,840	184,990	61,850	60,640	231,550	63,710

* Rounded to nearest 10. Excludes basal and squamous cell skin cancers and in situ carcinomas except urinary bladde

† Estimate is fewer than 50 cases. Note: These estimates are offered as a rough guide and should be interpreted with caution.

State estimates may not add to US total due to rounding and exclusion of state estimates fewer than 50 cases

American Cancer Society, Surveillance Research, 2007