Skin Cancer



Basic description

Skin cancer is the most common of all cancers. Fortunately, most skin cancers are slow-growing, easy to recognize, and relatively easy to treat when detected early. Skin cancers are either non-melanoma or melanoma.

Most skin cancers are non-melanoma, occurring in either basal cells or squamous cells. Most non-melanoma skin cancers develop on sun-exposed areas of the body. Depending on the type, they can be fast- or slow-growing, but they rarely spread.

Melanoma skin cancers develop from melanocytes. Melanoma is usually curable when it is detected in its early stages. Although melanoma accounts for less than 2% of skin cancers, it is a far more serious skin cancer, and it causes most skin cancer deaths.

Opportunities

Prevention The best way to lower the risk of skin cancer is to limit unprotected exposure to the sun, especially between 10 a.m. and 4 p.m. Most of the skin can be protected with clothing and broad-brimmed hats. Wraparound sunglasses provide the best protection for the eyes and the skin around the eyes. Sunscreens with a sun protection factor (SPF) of 30 or more should be used on areas of skin exposed to the sun. Tanning beds and sun lamps should not be used.

Detection The American Cancer Society recommends a cancer-related check-up by a physician, including skin examination, during a periodic health exam for people ages 20 and older. Everyone should know their own pattern of moles, blemishes, freckles, and other marks on the skin so they can notice changes during monthly self-exams.

Key warning signs of non-melanoma skin cancers are a new growth, a spot that is getting larger, or a visible sore that does not heal within 3 months. For melanoma, the most important warning sign is a change in the size, shape, or color of a mole or signs that its border is becoming more ragged. Other symptoms include scaliness, bleeding, or change in the appearance of a bump or nodule; the spread of pigmentation beyond its border; or a change in sensation, itchiness, tenderness, or pain.

Treatment Most non-melanoma skin cancers may be cured by fairly minor surgery, usually simple excision, but other treatments may be used, including lasers, heat, cold, radiation, and chemotherapy, depending on where and how large the tumor is. If detected early, melanoma may be treated successfully with surgical excision, although additional surgery to test and, if necessary, remove surrounding tissue might be needed. If the cancer has spread, more extensive surgery and treatment will be needed.

Who is at risk?

Gender Men are about twice as likely as women to have basal cell cancers and about 3 times as likely to have squamous cell cancers of the skin. Before age 40, the risk of melanoma is higher for women; after age 40, the risk is higher in men.

Age The rate of skin cancers increases with age. But these cancers, especially melanomas, can be found in younger people.

Race The lifetime risk of melanoma is more than 10 times higher for whites than for African Americans because of the protective effect of skin pigment. Whites with fair skin that freckles or burns easily are at especially high risk.



Skin Cancer

Immune system suppression People with weakened immune systems have an increased risk of developing skin cancer.

Ultraviolet radiation and sunburn People with excessive exposure to light from tanning lamps, booths, or sunlight are at greater risk for skin cancer. If a person has had severe, blistering sunburns, particularly in their childhood or teenage years, they also have an increased risk of developing skin cancer.

Other risk factors

- Chemical exposure Exposure to arsenic increases the risk, and exposure to industrial tar, coal, paraffin, and certain types of oil may also increase the risk of non-melanoma skin cancer.
- Radiation exposure People who have had radiation treatment have a higher risk of developing non-melanoma skin cancer in the area that was treated.
- Moles People with many moles and those who have some large or irregular moles have an increased risk for melanoma.
- **Family history** Risk of melanoma is greater if one or more of a person's first-degree relatives has been diagnosed with melanoma.

Quality-of-life issues

From the time of diagnosis, the quality of life for every cancer patient and survivor is affected in some way.

Skin cancer in the United States: 2014 estimates

New cases

Non-melanoma: More than 3.5 million Melanoma: 76,100

Deaths

Melanoma: 9,710

 5-year localized survival rate: Melanoma: 98%

 5-year overall survival rate: Melanoma: 91%

For localized melanoma, survival rates are 98%, but they fall sharply to 16% if the cancer has spread to distant parts of the body.

They may be affected socially, psychologically, physically, and spiritually. Concerns that patients and survivors most often express are fear of recurrence; chronic and/or acute pain; sexual problems; fatigue; guilt for delaying screening or treatment, or for doing things that may have caused the cancer; changes in physical appearance; depression; sleep difficulties; changes in what they are able to do after treatment; and the burden on finances and loved ones. People with skin cancer may have a fear of possible disfigurement, and concern about protecting their skin from the sun may greatly increase.

Bottom line

Nearly all skin cancers could be prevented by limiting unprotected exposure to the sun. When they do occur, most skin cancers can be treated successfully if detected early – even melanoma, the most serious type of skin cancer. In addition to seeking shade, the American Cancer Society recommends the Slip! Slop! Slap!® and Wrap! method of prevention – slip on a shirt, slop on 30 SPF (or higher) sunscreen, slap on a hat, and wrap on sunglasses before any exposure to the sun.

