

Estimated 1-5 Year Cancer Survivors 2007 (Observed Survival Rates), All Sites Combined

STATE	2007 Estimate Cases	1 Year Survival	2006 Estimate Cases	2 Year Survival	2005 Estimate Cases	3 Year Survival	2004 Estimate Cases	4 Year Survival	2003 Estimate Cases	5 Year Survival	2002 Estimate Cases	Estimated 1-5 Year Survivors
AL	20,590	76.2%	24,390	67.4%	24,320	61.9%	24,270	57.9%	23,600	54.5%	22,600	75,980
AK	2,500	76.2%	2,010	67.4%	1,930	61.9%	1,890	57.9%	1,800	54.5%	1,600	5,920
AZ	26,270	76.2%	25,450	67.4%	23,880	61.9%	23,560	57.9%	23,300	54.5%	22,100	75,610
AR	14,130	76.2%	15,220	67.4%	14,950	61.9%	14,800	57.9%	14,700	54.5%	14,200	47,090
CA	151,250	76.2%	138,680	67.4%	135,030	61.9%	134,300	57.9%	125,000	54.5%	119,900	417,540
CO	19,190	76.2%	16,850	67.4%	16,080	61.9%	15,510	57.9%	15,200	54.5%	14,500	49,980
CT	19,780	76.2%	17,320	67.4%	16,920	61.9%	17,010	57.9%	16,600	54.5%	16,100	53,520
DE	4,530	76.2%	4,190	67.4%	3,800	61.9%	4,390	57.9%	4,100	54.5%	4,100	13,080
DC	2,540	76.2%	2,680	67.4%	2,820	61.9%	2,860	57.9%	2,700	54.5%	2,700	8,750
FL	106,560	76.2%	98,960	67.4%	96,200	61.9%	97,290	57.9%	96,100	54.5%	92,200	306,360
GA	35,440	76.2%	36,650	67.4%	35,650	61.9%	35,430	57.9%	33,400	54.5%	31,600	110,450
HI	6,020	76.2%	5,600	67.4%	4,790	61.9%	5,070	57.9%	4,900	54.5%	4,700	16,030
ID	6,140	76.2%	5,900	67.4%	5,490	61.9%	5,460	57.9%	5,500	54.5%	5,200	17,590
IL	62,010	76.2%	60,220	67.4%	59,730	61.9%	60,280	57.9%	59,900	54.5%	57,400	189,420
IN	30,040	76.2%	32,710	67.4%	31,900	61.9%	32,160	57.9%	31,200	54.5%	30,000	100,750
IA	16,540	76.2%	16,310	67.4%	15,910	61.9%	15,940	57.9%	15,300	54.5%	14,800	49,940
KS	12,760	76.2%	13,210	67.4%	12,930	61.9%	12,940	57.9%	12,600	54.5%	12,300	40,790
KY	22,850	76.2%	23,690	67.4%	23,020	61.9%	22,720	57.9%	22,100	54.5%	21,100	71,930
LA	22,540	76.2%	23,890	67.4%	23,280	61.9%	23,540	57.9%	22,600	54.5%	21,900	73,490
ME	8,340	76.2%	7,910	67.4%	7,750	61.9%	7,520	57.9%	7,300	54.5%	7,000	23,950
MD	26,390	76.2%	25,870	67.4%	25,450	61.9%	25,310	57.9%	24,400	54.5%	23,500	79,470
MA	34,920	76.2%	33,310	67.4%	33,030	61.9%	33,050	57.9%	32,700	54.5%	31,700	104,310
MI	54,410	76.2%	48,250	67.4%	50,220	61.9%	48,220	57.9%	47,400	54.5%	45,800	152,870
MN	25,420	76.2%	23,520	67.4%	22,890	61.9%	22,720	57.9%	21,900	54.5%	20,800	71,430
MS	12,470	76.2%	15,120	67.4%	14,970	61.9%	15,120	57.9%	14,900	54.5%	14,400	47,450
MO	29,930	76.2%	31,050	67.4%	30,210	61.9%	30,290	57.9%	29,500	54.5%	28,600	95,440
MT	4,920	76.2%	4,780	67.4%	4,910	61.9%	5,000	57.9%	4,600	54.5%	4,400	15,110
NE	8,720	76.2%	8,450	67.4%	8,330	61.9%	8,280	57.9%	8,100	54.5%	7,700	26,070
NV	11,030	76.2%	11,600	67.4%	11,120	61.9%	10,990	57.9%	10,300	54.5%	9,500	34,280
NH	7,140	76.2%	6,470	67.4%	6,310	61.9%	6,290	57.9%	6,000	54.5%	5,800	19,710
NJ	49,370	76.2%	43,910	67.4%	43,000	61.9%	43,830	57.9%	42,300	54.5%	41,100	136,460

STATE	2007 Estimate Cases	1 Year Survival	2006 Estimate Cases	2 Year Survival	2005 Estimate Cases	3 Year Survival	2004 Estimate Cases	4 Year Survival	2003 Estimate Cases	5 Year Survival	2002 Estimate Cases	Estimated 1-5 Year Survivors
NM	8,030	76.2%	8,150	67.4%	7,780	61.9%	7,550	57.9%	7,400	54.5%	7,100	24,280
NY	100,960	76.2%	88,230	67.4%	87,050	61.9%	88,190	57.9%	85,900	54.5%	83,700	275,850
NC	38,210	76.2%	40,890	67.4%	40,520	61.9%	40,240	57.9%	39,600	54.5%	38,200	127,120
ND	3,340	76.2%	3,170	67.4%	3,080	61.9%	3,250	57.9%	3,100	54.5%	3,100	9,990
OH	59,220	76.2%	61,310	67.4%	59,680	61.9%	59,410	57.9%	60,300	54.5%	58,700	190,620
OK	17,170	76.2%	18,640	67.4%	18,460	61.9%	18,540	57.9%	17,700	54.5%	16,900	57,580
OR	18,630	76.2%	18,290	67.4%	17,720	61.9%	17,280	57.9%	17,300	54.5%	16,800	55,750
PA	75,130	76.2%	73,630	67.4%	71,840	61.9%	72,590	57.9%	70,800	54.5%	68,900	228,000
RI	6,360	76.2%	5,900	67.4%	5,870	61.9%	5,950	57.9%	5,800	54.5%	5,600	18,550
SC	21,370	76.2%	22,530	67.4%	21,860	61.9%	21,500	57.9%	20,600	54.5%	19,500	67,760
SD	3,990	76.2%	4,060	67.4%	3,900	61.9%	4,000	57.9%	3,900	54.5%	3,700	12,470
TN	28,440	76.2%	32,140	67.4%	31,080	61.9%	30,850	57.9%	30,500	54.5%	29,100	98,050
TX	91,020	76.2%	85,570	67.4%	86,880	61.9%	84,530	57.9%	83,400	54.5%	79,700	267,810
UT	7,660	76.2%	6,620	67.4%	6,380	61.9%	6,360	57.9%	6,200	54.5%	5,900	20,090
VT	3,500	76.2%	2,970	67.4%	3,030	61.9%	3,150	57.9%	3,100	54.5%	2,900	9,630
VA	35,090	76.2%	34,990	67.4%	33,680	61.9%	31,190	57.9%	32,800	54.5%	31,300	104,720
WA	31,080	76.2%	28,350	67.4%	27,350	61.9%	27,380	57.9%	26,700	54.5%	25,600	86,400
WV	10,490	76.2%	11,280	67.4%	11,190	61.9%	11,430	57.9%	11,300	54.5%	11,000	35,750
WI	28,130	76.2%	26,390	67.4%	26,340	61.9%	26,160	57.9%	25,800	54.5%	25,300	82,780
WY	2,340	76.2%	2,500	67.4%	2,380	61.9%	2,430	57.9%	2,300	54.5%	2,300	7,600

* Probability of survival is based on cases diagnosed in SEER 17 areas during 1998-2002, followed through Dec 2003. **This is a change from previous years which used the SEER 9 database. SEER 17 represents a larger proportion of the US population (26% versus 10%).**

Note: The Estimated and Rounded 1-5 Year Survivors do not include 2007 cases because survival is defined here as those surviving at least 1 year; The number of 1-5 year survivors is computed by the summation of 5 products: 2002 estimated cases multiplied by 5 year survival rate, 2003 estimated cases multiplied by 4 year survival rate, 2004 estimated cases multiplied by 3 year survival rate, 2005 estimated cases multiplied by 2 year survival rate, and 2006 estimated cases multiplied by 1 year survival rate.

Estimated 1-5 Year Cancer Survivors 2007 (Relative Survival Rates), All Sites Combined

STATE	2007 Estimate Cases	1 Year Survival	2006 Estimate Cases	2 Year Survival	2005 Estimate Cases	3 Year Survival	2004 Estimate Cases	4 Year Survival	2003 Estimate Cases	5 Year Survival	2002 Estimate Cases	Estimated 1-5 Year Survivors
AL	20,590	78.8%	24,390	72.1%	24,320	68.7%	24,270	66.8%	23,600	65.3%	22,600	83,950
AK	2,500	78.8%	2,010	72.1%	1,930	68.7%	1,890	66.8%	1,800	65.3%	1,600	6,520
AZ	26,270	78.8%	25,450	72.1%	23,880	68.7%	23,560	66.8%	23,300	65.3%	22,100	83,450
AR	14,130	78.8%	15,220	72.1%	14,950	68.7%	14,800	66.8%	14,700	65.3%	14,200	52,030
CA	151,250	78.8%	138,680	72.1%	135,030	68.7%	134,300	66.8%	125,000	65.3%	119,900	460,700
CO	19,190	78.8%	16,850	72.1%	16,080	68.7%	15,510	66.8%	15,200	65.3%	14,500	55,150
CT	19,780	78.8%	17,320	72.1%	16,920	68.7%	17,010	66.8%	16,600	65.3%	16,100	59,140
DE	4,530	78.8%	4,190	72.1%	3,800	68.7%	4,390	66.8%	4,100	65.3%	4,100	14,470
DC	2,540	78.8%	2,680	72.1%	2,820	68.7%	2,860	66.8%	2,700	65.3%	2,700	9,680
FL	106,560	78.8%	98,960	72.1%	96,200	68.7%	97,290	66.8%	96,100	65.3%	92,200	338,580
GA	35,440	78.8%	36,650	72.1%	35,650	68.7%	35,430	66.8%	33,400	65.3%	31,600	121,870
HI	6,020	78.8%	5,600	72.1%	4,790	68.7%	5,070	66.8%	4,900	65.3%	4,700	17,690
ID	6,140	78.8%	5,900	72.1%	5,490	68.7%	5,460	66.8%	5,500	65.3%	5,200	19,430
IL	62,010	78.8%	60,220	72.1%	59,730	68.7%	60,280	66.8%	59,900	65.3%	57,400	209,430
IN	30,040	78.8%	32,710	72.1%	31,900	68.7%	32,160	66.8%	31,200	65.3%	30,000	111,300
IA	16,540	78.8%	16,310	72.1%	15,910	68.7%	15,940	66.8%	15,300	65.3%	14,800	55,160
KS	12,760	78.8%	13,210	72.1%	12,930	68.7%	12,940	66.8%	12,600	65.3%	12,300	45,070
KY	22,850	78.8%	23,690	72.1%	23,020	68.7%	22,720	66.8%	22,100	65.3%	21,100	79,410
LA	22,540	78.8%	23,890	72.1%	23,280	68.7%	23,540	66.8%	22,600	65.3%	21,900	81,180
ME	8,340	78.8%	7,910	72.1%	7,750	68.7%	7,520	66.8%	7,300	65.3%	7,000	26,430
MD	26,390	78.8%	25,870	72.1%	25,450	68.7%	25,310	66.8%	24,400	65.3%	23,500	87,770
MA	34,920	78.8%	33,310	72.1%	33,030	68.7%	33,050	66.8%	32,700	65.3%	31,700	115,310
MI	54,410	78.8%	48,250	72.1%	50,220	68.7%	48,220	66.8%	47,400	65.3%	45,800	168,930
MN	25,420	78.8%	23,520	72.1%	22,890	68.7%	22,720	66.8%	21,900	65.3%	20,800	78,860
MS	12,470	78.8%	15,120	72.1%	14,970	68.7%	15,120	66.8%	14,900	65.3%	14,400	52,450
MO	29,930	78.8%	31,050	72.1%	30,210	68.7%	30,290	66.8%	29,500	65.3%	28,600	105,440
MT	4,920	78.8%	4,780	72.1%	4,910	68.7%	5,000	66.8%	4,600	65.3%	4,400	16,690
NE	8,720	78.8%	8,450	72.1%	8,330	68.7%	8,280	66.8%	8,100	65.3%	7,700	28,790
NV	11,030	78.8%	11,600	72.1%	11,120	68.7%	10,990	66.8%	10,300	65.3%	9,500	37,790
NH	7,140	78.8%	6,470	72.1%	6,310	68.7%	6,290	66.8%	6,000	65.3%	5,800	21,760
NJ	49,370	78.8%	43,910	72.1%	43,000	68.7%	43,830	66.8%	42,300	65.3%	41,100	150,810

STATE	1 Year Survival	2006 Estimate Cases	2 Year Survival	2005 Estimate Cases	3 Year Survival	2004 Estimate Cases	4 Year Survival	2003 Estimate Cases	5 Year Survival	2002 Estimate Cases	Estimated 1-5 Year Survivors
NM	8,030 78.8%	8,150	72.1%	7,780	68.7%	7,550	66.8%	7,400	65.3%	7,100	26,800
NY	100,960 78.8%	88,230	72.1%	87,050	68.7%	88,190	66.8%	85,900	65.3%	83,700	304,910
NC	38,210 78.8%	40,890	72.1%	40,520	68.7%	40,240	66.8%	39,600	65.3%	38,200	140,480
ND	3,340 78.8%	3,170	72.1%	3,080	68.7%	3,250	66.8%	3,100	65.3%	3,100	11,050
OH	59,220 78.8%	61,310	72.1%	59,680	68.7%	59,410	66.8%	60,300	65.3%	58,700	210,770
OK	17,170 78.8%	18,640	72.1%	18,460	68.7%	18,540	66.8%	17,700	65.3%	16,900	63,590
OR	18,630 78.8%	18,290	72.1%	17,720	68.7%	17,280	66.8%	17,300	65.3%	16,800	61,590
PA	75,130 78.8%	73,630	72.1%	71,840	68.7%	72,590	66.8%	70,800	65.3%	68,900	251,970
RI	6,360 78.8%	5,900	72.1%	5,870	68.7%	5,950	66.8%	5,800	65.3%	5,600	20,500
SC	21,370 78.8%	22,530	72.1%	21,860	68.7%	21,500	66.8%	20,600	65.3%	19,500	74,780
SD	3,990 78.8%	4,060	72.1%	3,900	68.7%	4,000	66.8%	3,900	65.3%	3,700	13,780
TN	28,440 78.8%	32,140	72.1%	31,080	68.7%	30,850	66.8%	30,500	65.3%	29,100	108,310
TX	91,020 78.8%	85,570	72.1%	86,880	68.7%	84,530	66.8%	83,400	65.3%	79,700	295,900
UT	7,660 78.8%	6,620	72.1%	6,380	68.7%	6,360	66.8%	6,200	65.3%	5,900	22,180
VT	3,500 78.8%	2,970	72.1%	3,030	68.7%	3,150	66.8%	3,100	65.3%	2,900	10,650
VA	35,090 78.8%	34,990	72.1%	33,680	68.7%	31,190	66.8%	32,800	65.3%	31,300	115,630
WA	31,080 78.8%	28,350	72.1%	27,350	68.7%	27,380	66.8%	26,700	65.3%	25,600	95,420
WV	10,490 78.8%	11,280	72.1%	11,190	68.7%	11,430	66.8%	11,300	65.3%	11,000	39,540
WI	28,130 78.8%	26,390	72.1%	26,340	68.7%	26,160	66.8%	25,800	65.3%	25,300	91,510
WY	2,340 78.8%	2,500	72.1%	2,380	68.7%	2,430	66.8%	2,300	65.3%	2,300	8,390

* Probability of survival is based on cases diagnosed in SEER 17 areas during 1998-2002, followed through Dec 2003. **This is a change from previous years which used the SEER 9 database. SEER 17 represents a larger proportion of the US population (26% versus 10%).**

Note: The Estimated and Rounded 1-5 Year Survivors do not include 2007 cases because survival is defined here as those surviving at least 1 year; The number of 1-5 year survivors is computed by the summation of 5 products: 2002 estimated cases multiplied by 5 year survival rate, 2003 estimated cases multiplied by 4 year survival rate, 2004 estimated cases multiplied by 3 year survival rate, 2005 estimated cases multiplied by 2 year survival rate, and 2006 estimated cases multiplied by 1 year survival rate.