



# Causes, Risk Factors, and Prevention

## Risk Factors

A risk factor is anything that affects your chance of getting a disease such as cancer. Learn more about the risk factors for basal and squamous cell skin cancer.

- [Basal and Squamous Cell Skin Cancer Risk Factors](#)
- [What Causes Basal and Squamous Cell Skin Cancers?](#)

## Prevention

There is no sure way to prevent skin cancer. But there are things you can do that might lower your risk. Learn more.

- [Can Basal and Squamous Cell Skin Cancers Be Prevented?](#)
- [Skin Cancer Prevention and Early Detection](#)

# Basal and Squamous Cell Skin Cancer Risk Factors

A risk factor is anything that affects your chance of getting a disease such as cancer. Different cancers have different risk factors. Some risk factors, like smoking and excess sun exposure, can be changed. Others, like your age or family history, can't be changed.

Having a risk factor, or even many risk factors, does not mean that you will get skin cancer. Many people with risk factors for skin cancer, never get it. Others with this disease may have few or no known risk factors.

Still, it's important to know about the risk factors for skin cancer because there may be

things you can do that could lower your risk of getting it. If you are at higher risk because of certain factors, there are also [things you can do that might help find it early](#), when it's likely to be easier to treat.

Several risk factors make a person more likely to get basal cell or squamous cell skin cancer. (These factors don't necessarily apply to some other forms of skin cancer, such as [Kaposi sarcoma](#) and [skin lymphoma](#).)

## **Ultraviolet (UV) light exposure**

Exposure to [ultraviolet \(UV\) rays](#) is thought to be the major risk factor for most skin cancers. Sunlight is the main source of UV rays. Tanning beds are another source of UV rays.

While UV rays make up only a very small portion of the sun's rays, they are the main cause of the damaging effects of the sun on the skin. UV rays damage the DNA of skin cells. Skin cancers begin when this damage affects the DNA of genes that control skin cell growth.

To learn more about the effects of UV rays on the skin and what you can do to protect yourself and your loved ones, see [Skin Cancer Prevention and Early Detection](#).

## **Having light-colored skin**

Whites have a much higher risk of skin cancer than African Americans or Hispanics. This is because the skin pigment melanin has a protective effect in people with darker skin. Whites with fair (light-colored) skin that freckles or burns easily are at especially high risk.

Albinism is an inherited lack of protective skin pigment. People with this condition may have pink-white skin and white hair. They have a high risk of getting sunburns and skin cancer, so they need to be careful to [protect their skin](#).

## **Being older**

The risk of getting basal and squamous cell skin cancers rises as people get older. This is probably because of the buildup of sun exposure over time. These cancers are becoming more common in younger people as well, probably because they are spending more time in the sun with their skin exposed.

## **Being male**

Men are more likely than women to have basal and squamous cell cancers of the skin. This is thought to be due mainly to getting more sun exposure.

## **Exposure to certain chemicals**

Being exposed to large amounts of [arsenic](#) increases the risk of developing skin cancer. Arsenic is an element found naturally in well water in some areas. It's also used in making some pesticides and in some other industries.

Workers exposed to coal tar, paraffin, and certain types of oil may also have an increased risk of skin cancer.

## **Radiation exposure**

People who have had radiation treatment have a higher risk of developing skin cancer in the area that received the treatment. This is particularly a concern in children who have had radiation treatment for cancer.

## **Previous skin cancer**

People who have had a basal or squamous cell cancer have a much higher chance of developing another one.

## **Long-term or severe skin inflammation or injury**

Scars from severe burns, areas of skin over serious bone infections, and skin damaged by some severe inflammatory skin diseases are more likely to develop skin cancers, although this risk is generally small.

## **Psoriasis treatment**

Psoralens and ultraviolet light (PUVA) treatments given to some patients with psoriasis (a long-lasting inflammatory skin disease) can increase the risk of developing squamous cell skin cancer and probably other skin cancers.

## **Xeroderma pigmentosum (XP)**

This very rare inherited condition reduces the ability of skin cells to repair DNA damage caused by sun exposure. People with this disorder often develop many skin cancers, starting in childhood.

## **Basal cell nevus syndrome (also known as nevoid basal cell carcinoma syndrome or Gorlin syndrome)**

In this rare congenital (present at birth) condition, people develop many basal cell cancers over their lifetime. People with this syndrome may also have abnormalities of the jaw (and other bones), eyes, and nervous tissue.

Most of the time this condition is inherited from a parent. In families with this syndrome, those affected often start to develop basal cell cancers as children or teens. Exposure to UV rays can increase the number of tumors these people get.

## **Weakened immune system**

The immune system helps the body fight cancers of the skin and other organs. People with weakened immune systems (from certain diseases or medical treatments) are more likely to develop many types of skin cancer, including squamous cell cancer, [melanoma](#), and less common types such as [Kaposi sarcoma](#) and [Merkel cell carcinoma](#).

For example, people who get organ transplants are usually given medicines that weaken their immune system to help prevent their body from rejecting the new organ. This increases their risk of developing skin cancer. Skin cancers in people with weakened immune systems tend to grow faster and are more likely to be fatal.

Treatment with large doses of corticosteroid drugs can also weaken the immune system. This may also increase a person's risk of skin cancer.

People infected with [HIV](#), the virus that causes AIDS, often have weakened immune systems and also are at increased risk for basal and squamous cell cancers.

## **Human papilloma virus (HPV) infection**

[Human papilloma viruses \(HPVs\)](#) are a group of more than 150 viruses, many of which can cause papillomas, or warts. The warts that people commonly get on their hands and feet are not related to any form of cancer. But some HPV types, especially those that affect the genital and anal areas and the skin around the fingernails, seem to be related

to skin cancers in these areas.

## Smoking

[People who smoke](#) are more likely to develop squamous cell skin cancer, especially on the lips. Smoking is not a known risk factor for basal cell cancer.

- [References](#)

[See all references for Basal and Squamous Cell Skin Cancer](#)

Last Medical Review: April 1, 2016 Last Revised: May 10, 2016

---

American Cancer Society medical information is copyrighted material. For reprint requests, please contact [permissionrequest@cancer.org](mailto:permissionrequest@cancer.org).

# What Causes Basal and Squamous Cell Skin Cancers?

While many [risk factors for basal and squamous cell skin cancers](#) have been found, it's not always clear exactly how these factors might cause cancer.

Most basal cell and squamous cell skin cancers are caused by repeated and unprotected skin exposure to [ultraviolet \(UV\) rays](#) from sunlight, as well as from man-made sources such as tanning beds.

UV rays can damage the DNA inside skin cells. DNA is the chemical in each of our cells that makes up our genes, which control how our cells function. We usually look like our parents because they are the source of our DNA. But DNA affects more than just how we look.

Some genes help control when our cells grow, divide into new cells, and die:

- Genes that help cells grow, divide, and stay alive are called **oncogenes**.
- Genes that keep cell growth in check by slowing down cell division or causing cells to die at the right time are called **tumor suppressor genes**.

Cancers can be caused by DNA changes that turn on oncogenes or turn off tumor

suppressor genes. Changes in several different genes are usually needed for a cell to become cancer.

Researchers don't yet know all of the DNA changes that result in skin cancer, but they have found that in many skin cancers the cells have changes in tumor suppressor genes.

The gene most often altered in squamous cell cancers is called *TP53*. This tumor suppressor gene normally causes cells with damaged DNA to die. When *TP53* is altered, these abnormal cells may live longer and perhaps go on to become cancerous.

A gene often mutated in basal cell cancers is the *PTCH1* gene, which is part of the "hedgehog" signaling pathway inside cells. *PTCH1* is a tumor suppressor gene that normally helps keep cell growth in check, so changes in this gene can allow cells to grow out of control. People who have basal cell nevus syndrome (Gorlin syndrome), which is often inherited from a parent and results in getting many basal cell cancers, have an altered *PTCH1* gene in all the cells of their body.

These are not the only gene changes that play a role in the development of skin cancer. There are likely to be many others as well.

People with xeroderma pigmentosum (XP) have a high risk for skin cancer. XP is a rare, inherited condition resulting from a defect in an enzyme that repairs DNA damage. Because people with XP are less able to repair DNA damage caused by sunlight, they often develop many cancers on sun-exposed areas of their skin.

The link between squamous cell skin cancer and infection with some types of the [human papilloma virus \(HPV\)](#) also involves DNA and genes. These viruses have genes that affect growth-regulating proteins of infected skin cells. This can cause skin cells to grow too much and to not die when they're supposed to.

Scientists are studying other links between DNA changes and skin cancer. A better understanding of how damaged DNA leads to skin cancer might be used to design treatments to overcome or repair that damage.

- [References](#)

[See all references for Basal and Squamous Cell Skin Cancer](#)

Last Medical Review: April 1, 2016 Last Revised: May 10, 2016

---

---

American Cancer Society medical information is copyrighted material. For reprint requests, please contact [permissionrequest@cancer.org](mailto:permissionrequest@cancer.org).

# Can Basal and Squamous Cell Skin Cancers Be Prevented?

There is no sure way to prevent all basal and squamous cell skin cancers. Some risk factors such as your age, gender, race, and family history can't be controlled. But there are things you can do that could lower your risk of getting these and other skin cancers.

## Limit your exposure to ultraviolet (UV) rays

The most important way to lower your risk of basal and squamous cell skin cancers is to limit your exposure to [UV rays](#). Practice sun safety when you are outdoors.

### Look for shade

Simply staying in the shade is one of the best ways to limit your UV exposure.

### “Slip! Slop! Slap!® ... and Wrap”

This catchphrase can help you remember some of the key steps you can take to protect yourself from UV rays. If you are going to be in the sun:

- Slip on a shirt.
- Slop on sunscreen.
- Slap on a hat.
- Wrap on sunglasses to protect the eyes and sensitive skin around them.

### Avoid tanning beds and sun lamps

Many people believe the UV rays of tanning beds are harmless. This is not true. Tanning lamps give off UV rays, which can cause long-term skin damage and can contribute to skin cancer. Most skin doctors and health organizations recommend not using tanning beds and sun lamps.

## **Protect children from the sun**

Children need special attention, since they tend to spend more time outdoors and can burn more easily. Parents and other caregivers should protect children from excess sun exposure by using the steps above. Children need to be taught about the dangers of too much sun exposure as they become more independent.

## **Avoid harmful chemicals**

Exposure to certain chemicals, such as arsenic, can increase a person's risk of skin cancer. People can be exposed to arsenic from well water in some areas, pesticides and herbicides, some medicines and imported traditional herbal remedies, and in certain occupations (such as mining and smelting).

## **Check your skin regularly**

[Checking your skin regularly](#) may help you spot any new growths or abnormal areas and show them to your doctor before they even have a chance to turn into skin cancer. To learn more, see [Can Basal and Squamous Cell Skin Cancers be Found Early?](#)

## **Don't smoke**

Smoking has been linked to an increased risk of squamous cell skin cancer, as well as to many other types of cancer. If you are thinking about [quitting smoking](#) and need help, call the American Cancer Society for information and support at 1-800-227-2345.

## **Avoid weakening your immune system (when possible)**

Having a weakened immune system increases your risk of getting skin cancer, and if you do get it, it might be harder to treat.

[Infection with HIV](#), the virus that causes AIDS, can weaken the immune system. Avoiding known risk factors for HIV infection, such as intravenous (IV) drug use and having unprotected sex with many partners, can also lower your risk of getting skin cancer and many other types of cancer.



Some people need to take medicines to suppress their immune system. This includes people who have had organ transplants and some people with autoimmune diseases. People with cancer also sometimes need to take medicines such as chemotherapy that can lower their immune function. For these people, the benefit from taking these medicines will likely far outweigh the small increased risk of getting skin cancer.

- [References](#)

[See all references for Basal and Squamous Cell Skin Cancer](#)

Last Medical Review: April 1, 2016 Last Revised: May 10, 2016

---

---

American Cancer Society medical information is copyrighted material. For reprint requests, please contact [permissionrequest@cancer.org](mailto:permissionrequest@cancer.org).

**2016 Copyright American Cancer Society**

For additional assistance please contact your American Cancer Society  
1-800-227-2345 or [www.cancer.org](http://www.cancer.org)