



# Diet and Physical Activity Cancer Fact Sheet for Health Care Professionals



Aside from tobacco use, the most important modifiable contributors to cancer risk are body weight, dietary patterns, alcohol consumption, and physical activity levels.

## Cancers affected<sup>1, 2, 3</sup>

An estimated 18% of cancer cases and 16% of cancer deaths are attributable to the combined effects of excess body weight, unhealthy dietary choices, alcohol consumption, and physical inactivity.

### Excess body weight

It is estimated that 8% of cancers can be attributed to excess body weight. Excess body weight (i.e., being overweight or obese) is associated with an increased risk of developing several types of cancer: esophageal (adenocarcinoma), breast (postmenopausal), colon and rectal, endometrial, kidney, liver, pancreatic, stomach, gallbladder, ovarian, thyroid, and multiple myeloma. Excess body weight may also increase the risk of non-Hodgkin lymphoma (diffuse large B-cell lymphoma); mouth, pharynx, and larynx cancers; male breast cancer; and fatal prostate cancer.

### Dietary factors

Approximately 4 to 5% of all cancer cases are thought to result from poor dietary choices. Eating patterns high in red and/or processed meat and low in fruits, vegetables, and dietary fiber and calcium are associated with an increased risk of cancers of the colorectum, oral cavity, esophagus, pharynx, and larynx.

### Physical inactivity

An estimated 3% of cancer cases are attributed to physical inactivity. Regular physical activity decreases the risk of cancers of the colon (but not rectum), female breast, and endometrium, as well as kidney, bladder, esophageal (adenocarcinoma), stomach (cardia), and possibly lung. Extended leisure-time

sitting has also been associated with an increased risk of cancer death, whereas replacing sedentary time with even short durations of moderate- to vigorous-intensity aerobic physical activity appears to reduce cancer mortality.

### Alcohol consumption

An estimated 5% of cancer cases can be attributed to alcohol consumption. Alcohol consumption increases risk for cancers of the mouth, pharynx, larynx, esophagus (squamous cell carcinoma), liver, colon and rectum, female breast, and stomach. Cancer risk increases with alcohol volume, and even a few drinks per week may increase the risk of some cancers. Alcohol consumption combined with tobacco use synergistically increases the risk of cancers of the mouth, pharynx, larynx, and esophagus far more than either drinking or smoking alone.

## ACS Guidelines on Diet and Physical Activity for Cancer Prevention<sup>1, 3</sup>

### Achieve and maintain a healthy weight throughout life.

- Keep body weight within the healthy range, and avoid weight gain in adult life.

### Adopt a physically active lifestyle.

- Adults should engage in 150-300 minutes of moderate-intensity physical activity per week, or 75-150 minutes of vigorous-intensity physical activity, or an equivalent combination of these. Getting to or exceeding the upper limit of 300 minutes is optimal.

- Children and teens should engage in at least 1 hour of moderate- or vigorous-intensity activity each day.
- Limit sedentary behavior, such as sitting, lying down, and watching television and other forms of screen-based entertainment.

### Follow a healthy eating pattern at all ages.

A healthy eating pattern includes:

- Foods that are high in nutrients in amounts that help achieve and maintain a healthy body weight
- A variety of vegetables – dark green, red, and orange, fiber-rich legumes (beans and peas), and others
- Fruits, especially whole fruits in a variety of colors
- Whole grains

A healthy eating pattern limits or does not include:

- Red and processed meats
- Sugar-sweetened beverages
- Highly processed foods and refined-grain products

### It's best not to drink alcohol.

People who do choose to drink alcohol should limit their consumption to no more than 1 drink per day for women and 2 drinks per day for men.



### References

1. American Cancer Society. *Cancer Facts & Figures 2025*. Atlanta: American Cancer Society; 2025. Accessed at <https://www.cancer.org/research/cancer-facts-statistics/all-cancer-facts-figures/2025-cancer-facts-figures.html> on January 22, 2025
2. American Cancer Society. *Cancer Prevention and Early Detection Facts & Figures 2023-2024*. Atlanta: American Cancer Society; 2023. Accessed at: <https://www.cancer.org/content/dam/cancer-org/research/cancer-facts-and-statistics/cancer-prevention-and-early-detection-facts-and-figures/2024-cped-files/cped-2024-cff.pdf> on January 22, 2025
3. Rock CL, Thomson C, Gansler T, et al. American Cancer Society guidelines for diet and physical activity for cancer prevention. *CA Cancer J Clin*. 2020; 70 (4).