

Estimated 1-5 Year Cancer Survivors 2009 (Observed Survival Rates), All Sites Combined

STATE	2009 Estimate Cases	1 Year Survival	2008 Estimate Cases	2 Year Survival	2007 Estimate Cases	3 Year Survival	2006 Estimate Cases	4 Year Survival	2005 Estimate Cases	5 Year Survival	2004 Estimate Cases	Estimated 1-5 Year Survivors
AL	24,090	76.2%	22,340	67.7%	20,590	62.5%	24,390	58.6%	24,320	55.3%	24,270	73,880
AK	2,530	76.2%	2,650	67.7%	2,500	62.5%	2,010	58.6%	1,930	55.3%	1,890	7,140
AZ	27,600	76.2%	25,540	67.7%	26,270	62.5%	25,450	58.6%	23,880	55.3%	23,560	80,170
AR	14,800	76.2%	14,840	67.7%	14,130	62.5%	15,220	58.6%	14,950	55.3%	14,800	47,330
CA	152,170	76.2%	156,530	67.7%	151,250	62.5%	138,680	58.6%	135,030	55.3%	134,300	461,740
CO	20,340	76.2%	18,900	67.7%	19,190	62.5%	16,850	58.6%	16,080	55.3%	15,510	55,920
CT	20,650	76.2%	19,190	67.7%	19,780	62.5%	17,320	58.6%	16,920	55.3%	17,010	58,160
DE	4,690	76.2%	4,590	67.7%	4,530	62.5%	4,190	58.6%	3,800	55.3%	4,390	13,840
DC	2,600	76.2%	2,560	67.7%	2,540	62.5%	2,680	58.6%	2,820	55.3%	2,860	8,580
FL	102,210	76.2%	101,920	67.7%	106,560	62.5%	98,960	58.6%	96,200	55.3%	97,290	321,830
GA	39,080	76.2%	36,980	67.7%	35,440	62.5%	36,650	58.6%	35,650	55.3%	35,430	115,560
HI	6,400	76.2%	6,310	67.7%	6,020	62.5%	5,600	58.6%	4,790	55.3%	5,070	17,990
ID	6,800	76.2%	6,430	67.7%	6,140	62.5%	5,900	58.6%	5,490	55.3%	5,460	18,980
IL	60,960	76.2%	59,130	67.7%	62,010	62.5%	60,220	58.6%	59,730	55.3%	60,280	193,010
IN	31,320	76.2%	29,550	67.7%	30,040	62.5%	32,710	58.6%	31,900	55.3%	32,160	99,780
IA	16,740	76.2%	16,150	67.7%	16,540	62.5%	16,310	58.6%	15,910	55.3%	15,940	51,840
KS	13,080	76.2%	12,520	67.7%	12,760	62.5%	13,210	58.6%	12,930	55.3%	12,940	41,170
KY	24,060	76.2%	23,270	67.7%	22,850	62.5%	23,690	58.6%	23,020	55.3%	22,720	74,060
LA	22,170	76.2%	23,360	67.7%	22,540	62.5%	23,890	58.6%	23,280	55.3%	23,540	74,650
ME	9,000	76.2%	8,140	67.7%	8,340	62.5%	7,910	58.6%	7,750	55.3%	7,520	25,490
MD	26,650	76.2%	27,380	67.7%	26,390	62.5%	25,870	58.6%	25,450	55.3%	25,310	83,810
MA	36,080	76.2%	34,470	67.7%	34,920	62.5%	33,310	58.6%	33,030	55.3%	33,050	108,360
MI	53,550	76.2%	51,150	67.7%	54,410	62.5%	48,250	58.6%	50,220	55.3%	48,220	162,060
MN	23,670	76.2%	23,160	67.7%	25,420	62.5%	23,520	58.6%	22,890	55.3%	22,720	75,530
MS	14,150	76.2%	13,400	67.7%	12,470	62.5%	15,120	58.6%	14,970	55.3%	15,120	45,240
MO	30,090	76.2%	29,390	67.7%	29,930	62.5%	31,050	58.6%	30,210	55.3%	30,290	96,520
MT	5,340	76.2%	5,090	67.7%	4,920	62.5%	4,780	58.6%	4,910	55.3%	5,000	15,840
NE	8,810	76.2%	8,710	67.7%	8,720	62.5%	8,450	58.6%	8,330	55.3%	8,280	27,280
NV	12,020	76.2%	11,370	67.7%	11,030	62.5%	11,600	58.6%	11,120	55.3%	10,990	35,980
NH	7,630	76.2%	7,030	67.7%	7,140	62.5%	6,470	58.6%	6,310	55.3%	6,290	21,410
NJ	47,920	76.2%	45,900	67.7%	49,370	62.5%	43,910	58.6%	43,000	55.3%	43,830	145,280

STATE	2009 Estimate Cases	1 Year Survival	2008 Estimate Cases	2 Year Survival	2007 Estimate Cases	3 Year Survival	2006 Estimate Cases	4 Year Survival	2005 Estimate Cases	5 Year Survival	2004 Estimate Cases	Estimated 1-5 Year Survivors
NM	8,830	76.2%	8,260	67.7%	8,030	62.5%	8,150	58.6%	7,780	55.3%	7,550	25,560
NY	101,550	76.2%	97,130	67.7%	100,960	62.5%	88,230	58.6%	87,050	55.3%	88,190	297,290
NC	42,270	76.2%	40,420	67.7%	38,210	62.5%	40,890	58.6%	40,520	55.3%	40,240	128,220
ND	3,200	76.2%	3,090	67.7%	3,340	62.5%	3,170	58.6%	3,080	55.3%	3,250	10,200
OH	62,420	76.2%	56,840	67.7%	59,220	62.5%	61,310	58.6%	59,680	55.3%	59,410	189,550
OK	18,110	76.2%	17,860	67.7%	17,170	62.5%	18,640	58.6%	18,460	55.3%	18,540	57,950
OR	19,210	76.2%	19,230	67.7%	18,630	62.5%	18,290	58.6%	17,720	55.3%	17,280	58,640
PA	74,170	76.2%	70,110	67.7%	75,130	62.5%	73,630	58.6%	71,840	55.3%	72,590	232,550
RI	6,250	76.2%	6,120	67.7%	6,360	62.5%	5,900	58.6%	5,870	55.3%	5,950	19,390
SC	22,100	76.2%	20,740	67.7%	21,370	62.5%	22,530	58.6%	21,860	55.3%	21,500	69,050
SD	4,120	76.2%	4,080	67.7%	3,990	62.5%	4,060	58.6%	3,900	55.3%	4,000	12,850
TN	32,570	76.2%	29,390	67.7%	28,440	62.5%	32,140	58.6%	31,080	55.3%	30,850	97,010
TX	98,200	76.2%	96,320	67.7%	91,020	62.5%	85,570	58.6%	86,880	55.3%	84,530	286,150
UT	8,880	76.2%	7,760	67.7%	7,660	62.5%	6,620	58.6%	6,380	55.3%	6,360	22,490
VT	3,550	76.2%	3,530	67.7%	3,500	62.5%	2,970	58.6%	3,030	55.3%	3,150	10,430
VA	34,150	76.2%	35,590	67.7%	35,090	62.5%	34,990	58.6%	33,680	55.3%	31,190	109,730
WA	32,290	76.2%	32,380	67.7%	31,080	62.5%	28,350	58.6%	27,350	55.3%	27,380	94,600
WV	10,230	76.2%	10,250	67.7%	10,490	62.5%	11,280	58.6%	11,190	55.3%	11,430	34,840
WI	27,560	76.2%	27,590	67.7%	28,130	62.5%	26,390	58.6%	26,340	55.3%	26,160	86,460
WY	2,500	76.2%	2,570	67.7%	2,340	62.5%	2,500	58.6%	2,380	55.3%	2,430	7,840

* Probability of survival is based on cases diagnosed in SEER 17 areas during 1996-2004, followed through Dec 2005.

Note: The Estimated and Rounded 1-5 Year Survivors do not include 2009 cases because survival is defined here as those surviving at least 1 year; The number of 1-5 year survivors is computed by the summation of 5 products: 2004 estimated cases multiplied by 5 year survival rate, 2005 estimated cases multiplied by 4 year survival rate, 2006 estimated cases multiplied by 3 year survival rate, 2007 estimated cases multiplied by 2 year survival rate, and 2008 estimated cases multiplied by 1 year survival rate.

Estimated 1-5 Year Cancer Survivors 2009 (Relative Survival Rates), All Sites Combined

STATE	2009 Estimate Cases	1 Year Survival	2008 Estimate Cases	2 Year Survival	2007 Estimate Cases	3 Year Survival	2006 Estimate Cases	4 Year Survival	2005 Estimate Cases	5 Year Survival	2004 Estimate Cases	Estimated 1-5 Year Survivors
AL	24,090	78.6%	22,340	72.0%	20,590	68.8%	24,390	66.8%	24,320	65.3%	24,270	81,260
AK	2,530	78.6%	2,650	72.0%	2,500	68.8%	2,010	66.8%	1,930	65.3%	1,890	7,790
AZ	27,600	78.6%	25,540	72.0%	26,270	68.8%	25,450	66.8%	23,880	65.3%	23,560	87,830
AR	14,800	78.6%	14,840	72.0%	14,130	68.8%	15,220	66.8%	14,950	65.3%	14,800	51,960
CA	152,170	78.6%	156,530	72.0%	151,250	68.8%	138,680	66.8%	135,030	65.3%	134,300	505,240
CO	20,340	78.6%	18,900	72.0%	19,190	68.8%	16,850	66.8%	16,080	65.3%	15,510	61,130
CT	20,650	78.6%	19,190	72.0%	19,780	68.8%	17,320	66.8%	16,920	65.3%	17,010	63,650
DE	4,690	78.6%	4,590	72.0%	4,530	68.8%	4,190	66.8%	3,800	65.3%	4,390	15,160
DC	2,600	78.6%	2,560	72.0%	2,540	68.8%	2,680	66.8%	2,820	65.3%	2,860	9,440
FL	102,210	78.6%	101,920	72.0%	106,560	68.8%	98,960	66.8%	96,200	65.3%	97,290	352,710
GA	39,080	78.6%	36,980	72.0%	35,440	68.8%	36,650	66.8%	35,650	65.3%	35,430	126,750
HI	6,400	78.6%	6,310	72.0%	6,020	68.8%	5,600	66.8%	4,790	65.3%	5,070	19,660
ID	6,800	78.6%	6,430	72.0%	6,140	68.8%	5,900	66.8%	5,490	65.3%	5,460	20,770
IL	60,960	78.6%	59,130	72.0%	62,010	68.8%	60,220	66.8%	59,730	65.3%	60,280	211,820
IN	31,320	78.6%	29,550	72.0%	30,040	68.8%	32,710	66.8%	31,900	65.3%	32,160	109,670
IA	16,740	78.6%	16,150	72.0%	16,540	68.8%	16,310	66.8%	15,910	65.3%	15,940	56,860
KS	13,080	78.6%	12,520	72.0%	12,760	68.8%	13,210	66.8%	12,930	65.3%	12,940	45,200
KY	24,060	78.6%	23,270	72.0%	22,850	68.8%	23,690	66.8%	23,020	65.3%	22,720	81,250
LA	22,170	78.6%	23,360	72.0%	22,540	68.8%	23,890	66.8%	23,280	65.3%	23,540	81,950
ME	9,000	78.6%	8,140	72.0%	8,340	68.8%	7,910	66.8%	7,750	65.3%	7,520	27,930
MD	26,650	78.6%	27,380	72.0%	26,390	68.8%	25,870	66.8%	25,450	65.3%	25,310	91,850
MA	36,080	78.6%	34,470	72.0%	34,920	68.8%	33,310	66.8%	33,030	65.3%	33,050	118,800
MI	53,550	78.6%	51,150	72.0%	54,410	68.8%	48,250	66.8%	50,220	65.3%	48,220	177,610
MN	23,670	78.6%	23,160	72.0%	25,420	68.8%	23,520	66.8%	22,890	65.3%	22,720	82,810
MS	14,150	78.6%	13,400	72.0%	12,470	68.8%	15,120	66.8%	14,970	65.3%	15,120	49,790
MO	30,090	78.6%	29,390	72.0%	29,930	68.8%	31,050	66.8%	30,210	65.3%	30,290	105,970
MT	5,340	78.6%	5,090	72.0%	4,920	68.8%	4,780	66.8%	4,910	65.3%	5,000	17,380
NE	8,810	78.6%	8,710	72.0%	8,720	68.8%	8,450	66.8%	8,330	65.3%	8,280	29,910
NV	12,020	78.6%	11,370	72.0%	11,030	68.8%	11,600	66.8%	11,120	65.3%	10,990	39,460
NH	7,630	78.6%	7,030	72.0%	7,140	68.8%	6,470	66.8%	6,310	65.3%	6,290	23,440
NJ	47,920	78.6%	45,900	72.0%	49,370	68.8%	43,910	66.8%	43,000	65.3%	43,830	159,180

STATE	2009	1 Year	2008	2 Year	2007	3 Year	2006	4 Year	2005	5 Year	2004	Estimated
	Estimate	Survival	Estimate	Survival	Estimate	Survival	Estimate	Survival	Estimate	Survival	Estimate	1-5 Year
	Cases		Cases		Cases		Cases		Cases		Cases	Survivors
NM	8,830	78.6%	8,260	72.0%	8,030	68.8%	8,150	66.8%	7,780	65.3%	7,550	28,010
NY	101,550	78.6%	97,130	72.0%	100,960	68.8%	88,230	66.8%	87,050	65.3%	88,190	325,480
NC	42,270	78.6%	40,420	72.0%	38,210	68.8%	40,890	66.8%	40,520	65.3%	40,240	140,760
ND	3,200	78.6%	3,090	72.0%	3,340	68.8%	3,170	66.8%	3,080	65.3%	3,250	11,190
OH	62,420	78.6%	56,840	72.0%	59,220	68.8%	61,310	66.8%	59,680	65.3%	59,410	208,160
OK	18,110	78.6%	17,860	72.0%	17,170	68.8%	18,640	66.8%	18,460	65.3%	18,540	63,660
OR	19,210	78.6%	19,230	72.0%	18,630	68.8%	18,290	66.8%	17,720	65.3%	17,280	64,230
PA	74,170	78.6%	70,110	72.0%	75,130	68.8%	73,630	66.8%	71,840	65.3%	72,590	255,250
RI	6,250	78.6%	6,120	72.0%	6,360	68.8%	5,900	66.8%	5,870	65.3%	5,950	21,260
SC	22,100	78.6%	20,740	72.0%	21,370	68.8%	22,530	66.8%	21,860	65.3%	21,500	75,830
SD	4,120	78.6%	4,080	72.0%	3,990	68.8%	4,060	66.8%	3,900	65.3%	4,000	14,090
TN	32,570	78.6%	29,390	72.0%	28,440	68.8%	32,140	66.8%	31,080	65.3%	30,850	106,600
TX	98,200	78.6%	96,320	72.0%	91,020	68.8%	85,570	66.8%	86,880	65.3%	84,530	313,350
UT	8,880	78.6%	7,760	72.0%	7,660	68.8%	6,620	66.8%	6,380	65.3%	6,360	24,580
VT	3,550	78.6%	3,530	72.0%	3,500	68.8%	2,970	66.8%	3,030	65.3%	3,150	11,420
VA	34,150	78.6%	35,590	72.0%	35,090	68.8%	34,990	66.8%	33,680	65.3%	31,190	120,180
WA	32,290	78.6%	32,380	72.0%	31,080	68.8%	28,350	66.8%	27,350	65.3%	27,380	103,480
WV	10,230	78.6%	10,250	72.0%	10,490	68.8%	11,280	66.8%	11,190	65.3%	11,430	38,310
WI	27,560	78.6%	27,590	72.0%	28,130	68.8%	26,390	66.8%	26,340	65.3%	26,160	94,770
WY	2,500	78.6%	2,570	72.0%	2,340	68.8%	2,500	66.8%	2,380	65.3%	2,430	8,600

* Probability of survival is based on cases diagnosed in SEER 17 areas during 1996-2004, followed through Dec 2005.

Note: The Estimated and Rounded 1-5 Year Survivors do not include 2009 cases because survival is defined here as those surviving at least 1 year; The number of 1-5 year survivors is computed by the summation of 5 products: 2004 estimated cases multiplied by 5 year survival rate, 2005 estimated cases multiplied by 4 year survival rate, 2006 estimated cases multiplied by 3 year survival rate, 2007 estimated cases multiplied by 2 year survival rate, and 2008 estimated cases multiplied by 1 year survival rate.